11) Publication number:

0 277 428

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 87311315.3

(1) Int. Cl.4: A61K 7/06, A61K 7/48

- 2 Date of filing: 22.12.87
- 3 Priority: 23.12.86 GB 8630721
- Date of publication of application: 10.08.88 Bulletin 88/32
- Designated Contracting States:
 AT BE CH DE ES FR GB GR IT LI NL SE
- 71 Applicant: UNILEVER PLC
 Unilever House Blackfriars P.O. Box 68
 London EC4P 4BQ(GB)
- ⊗ GB
- 71 Applicant: UNILEVER NV
 Burgemeester s'Jacobplein 1 P.O. Box 760
 NL-3000 DK Rotterdam(NL)
- BE CH DE ES FR GR IT LI NL SE AT
- inventor: Gibson, Walter Thomas
 8 Braid Court
 Wellingborough Northants NN8 3PF(GB)
- Representative: Tonge, Robert James et al UNILEVER PLC Patents Division P.O. Box 68 Unilever House London EC4P 4BQ(GB)

- (54) Cosmetic composition.
- A composition suitable for topical application to mammalian skin or hair for inducing, maintaining or increasing hair growth comprises:
 - (i) a first chemical inhibitor chosen from proteoglycanase inhibitors, glycosaminoglycanase inhibitors, glycosaminoglycan chain cellular uptake inhibitors or mixtures thereof; and
 - (ii) a cosmetically acceptable vehicle for the chemical inhibitor; provided that when the first chemical inhibitor is a weak inhibitor, such that a 1mM aqueous solution of the inhibitor reduces proteoglycanase activity, glycosaminoglycanase activity or cellular uptake of glycosaminoglycan chains, by from 5 to 50%, in accordance with at least one of the assay tests as herein described, then there is also present in the composition a second chemical inhibitor and/or an activity enhancer. When minoxidil is the sole chemical inhibitor, then the activity enhancer is a penetration enhancer chosen from a limited number of materials, including certain esters and cationic polymers.

The total amount of chemical inhibitor present in the composition is sufficient to increase hair growth in the rat, when said composition is applied topically thereto, by at least 10% more than that obtainable using a control composition from which the said inhibitors have been omitted.

COSMETIC COMPOSITION

FIELD OF THE INVENTION

The invention relates to cosmetic and pharmaceutical compositions for topical application to mammalian skin or hair, containing an enzyme inhibitor which is capable of promoting hair growth, especially terminal hair growth on the human scalp.

BACKGROUND

10

The Hair Growth Cycle

It should be explained that in most mammals, hair does not grow continuously, but undergoes a cycle of activity involving alternate periods of growth and rest. The hair growth cycle can be divided into three main stages, namely:

- (i) the growth phase known as anagen, during which the hair follicle penetrates deep into the dermiss with the cells of the bulb dividing rapidly and differentiating to form the hair,
- (ii) the transitional stage known as catagen, which is heralded by the cessation of mitosis, and during which the follicle regresses upwards through the dermis and hair growth ceases,
- (iii) the resting stage known as telogen, in which the regressed follicle contains a small secondary germ with an underlying ball of tightly packed dermal papilla cells.

The initiation of a new anagen phase is revealed by rapid proliferation in the germ, expansion of the dermal papilla and elaboration of basement membrane components. The hair cycle is then repeated many times until, as a consequence of the onset of male pattern baldness, most of the hair follicles spend an increasing proportion of their time in the telogen stage, and the hairs produced become finer, shorter, and less visible; this is known as terminal to vellus transformation.

PRIOR ART

30

Alleged Baldness Cures

Although there have been many claims in the scientific literature to the promotion or maintenance of hair growth by the topical application of hair tonics and the like, with the possible exception of minoxidil, none has been shown to be sufficiently free from disadvantageous clinical side effects, whether administered topically, orally or systemically, to warrant commercial exploitation as an ethical pharmaceutical, proprietary medicine, or as a cosmetic product. Possibly, the only means which has met with partial success for growing hair on the bald or balding human head is by transplantation of hair to the bald areas. This is, however, an extremely painful operation and is not always successful. Furthermore, it is immediately apparent to the casual observer that the subject has received a hair transplant and it may take many months or even years before hair regrowth, following this operation, assumes an appearance which resembles that of the original naturally growing hair.

Among the many hair regrowth studies that have been reported in the literature, there is included the work of Bazzano as described in PCT International Publication No. WO 85/04577. This publication describes a composition which is useful for increasing the rates of hair growth on mammalian skin, prolonging the anagen phase of the hair growth cycle and for treating various types of alopecias. The composition in question comprises a pyrimidine carbamate.

It has also been reported in US patent no. 4 139 619 to Chidsey assigned to the Upjohn Company, that a topical composition comprising minoxidil as the free base or acid addition salt thereof, or certain specified related iminopyrimidines, is useful in stimulating the conversion of vellus hair to growth as terminal hair, as well as increasing the rate of growth of terminal hair.

In spite of the apparent stimulation of hair growth or regrowth reported independently by Bazzano and Chidsey, following topical application of minoxidil or related compounds, there is general concern that systemic side-effects can result, particularly following topical application of minoxidil. Thus it is generally recognised in the medical literature that the side effects of orally administered minoxidil are very serious,

and include fluid retention, tachycardia, dyspnea, gynecomastia, fatigue, nausea and cardiotoxicity. There is also evidence that certain side effects have been experienced following topical application of minoxidil.

In addition to the alleged benefits of employing the pyrimidine carbamates of Bazzano or minoxidil of Upjohn, many other hair regrowth studies have been reported in the literature. In particular, the work of Meyer et al (1961) in the Proceedings of the Society of Experimental and Biological Medicine, 108, 59-61, is worthy of mention. Meyer and his co-workers repeatedly injected acid mucopolysaccharides into the skin of shaved rabbits and reported observing the initiation of the hair growth cycle with stimulation of hair growth which in some instances appeared to be thicker than usual. They found that heparan sulphate was particularly active, while dermatan sulphate and chondroitin-6-sulphate were also active in this respect, but to a lesser extent.

It has also been reported by Frajdenrajch in EP-A-O 035 919 to include chondroitin sulphate in a hair composition in order to prevent loss and encourage growth of the hair.

Also, Shansho Seigaku in JA-59/186911 describes a shampoo containing a mucopolysaccharide such as chondroitin sulphate.

There are also other references, mainly of Japanese origin, which claim the use of chondroitin sulphate in preparations for topical application to human skin, particularly as hair tonics.

Kohler in DE OLS 24 38 534 reports that D-glucuronic acid and glucuronic acid γ -lactone (also known as glucurono-6,3-lactone) can be applied externally to the skin, together with vitamin C and water, ethanol or aqueous ethanol as a vehicle, as a scalp care agent. In a particular experiment, Kohler reports regrowth of hair following daily application for six months of a 1% solution of D-glucuronic acid.

Kohler et al in DE OLS 26 19 100 also claims the use of glucuronic acid or glucuronic acid γ -lactone as inhibitors in agents for inhibiting the activity of β -glucuronidase, particularly in combination with vitamin B₁₂. Whereas Kohler et al are concerned with β -glucuronidase as found in unusually high concentrations in healing wounds and cancer tissues, they do state that the agents also have a beneficial effect on the loss of hair.

In experiments to be described later in this specification, we have found that both glucuronic acid and glucurono-6,3-lactone are weak inhibitors of β -glucuronidase activity and require the presence of a second inhibitor and/or a special activity enhancer, as hereinafter defined, to provide significant hair growth or regrowth. The weak inhibition by glucuronic acid in this respect has also been confirmed by Levvy and Snaith (1972) in "Advances in Enzymology" 36 where, at page 156 they state that:

"Both β -glucuronidase and α -glucuronidase are feebly inhibited by glucuronic acid"

35 Background to the Invention

15

25

55

The above review of the most relevant references concerning the alleged promotion of hair growth following topical or systemic application of specified molecules, has prompted the study in greater detail, of the biological and biochemical mechanisms involved in the control of the hair growth cycle. The reported role of the dermal papilla which is situated at the base of the hair follicle, and the closely related cells of the connective tissue sheath which surrounds the hair follicle are alleged to be of key importance in governing the cyclic behaviour of hair follicles. This has been shown, for example, directly by Oliver R F (1970) J Embryol Exp Morphol., 23, 219-236, and the changes in the dermal papilla during the hair cycle are consistent with these observations. At the end of anagen, there is a sudden loss of fibronectin [Couchman J R and Gibson W T, (1985) Dev Biol., 108, 290-298] and metachromatic (glycosaminoglycan) staining [Montagna W et al, (1952) Q J Microsc Sci., 93, 241-245] from the connective tissue matrix of the dermal papilla which then undergoes condensation.

Conversely, expansion and elaboration of new matrix is associated with the onset of anagen. A direct role of matrix components in stimulating hair growth was suggested by the work of Meyer et al (1961), [supra].

It is accordingly apparent that glycosaminoglycan breakdown is an important early change in catagen, and since there is already evidence for a link between the presence of intact glycosaminoglycans and hair growth, we have suggested that prevention of proteoglycan and glycosaminoglycan breakdown may lead to earlier onset and/or prolongation of anagen. This would effectively retard hair loss and reverse baldness.

When considering the breakdown of glycosaminoglycans, it must be remembered that these are complex polysaccharides built up from alternating hexosamine and uronic acid units. Modification of these units by N-and/or O-sulphation, and by N-acetylation provides further scope for diversity, which necessitates the concerted, sequential action of a range of enzymes for complete degradation to occur. Furthermore,

glycosaminoglycans normally exist in the form of a proteoglycan, in which glycosaminoglycan chains are attached to a protein core. Degradation can therefore occur by the action of proteolytic enzymes ("proteoglycanases") on the protein core, causing release of intact glycosaminoglycan chains which are taken up by cells or removed in the circulation, or by the action of endoglycosidases, exoglycosidases and sulphatases ("glycosaminoglycanases") which cleave the glycosaminoglycan molecule at specific sites. It follows that glycosaminoglycan breakdown may be prevented in a number of ways, viz by inhibiting proteoglycanase activity, by blocking cellular uptake of intact glycosaminoglycan chains, and/or by inhibiting glycosaminoglycanase activity.

We have now identified chemical inhibitors of key enzymes and other cellular events involved respectively in the breakdown of proteoglycan or glycosaminoglycan chains, and in the blocking of cellular uptake of intact glycosaminoglycan chains.

It should be explained by "chemical inhibitor" is meant a substance that is physiologically suitable and safe for topical application to human skin, and which is capable of inhibiting proteolytic breakdown of the proteoglycans or inhibiting glycosidase or sulphatase enzymes involved in the breakdown or modification of glycosaminoglycan side chains by direct enzyme inhibition or by protecting the substrate so that the enzyme does not recognise it, or inhibiting cellular events involved in the recognition and uptake of glycosaminoglycans.

We have accordingly found that these inhibitors will indeed stimulate hair growth as predicted on the basis of the theory outlined above.

DEFINITION OF THE INVENTION

20

35

40

55

Accordingly, the invention provides a composition suitable for topical application to mammalian skin or hair for inducing, maintaining or increasing hair growth which comprises:

- (i) a first chemical inhibitor chosen from proteoglycanase inhibitors, glycosaminoglycanase inhibitors, glycosaminoglycan chain cellular uptake inhibitors or mixtures thereof; and
- (ii) a cosmetically acceptable vehicle for the chemical inhibitor; provided that when the first chemical inhibitor is a weak inhibitor, such that a 1mM aqueous solution of the inhibitor reduces proteoglycanase activity, glycosaminoglycanase activity or cellular uptake of glycosaminoglycan chains, by from 5 to 50%, in accordance with at least one of the assay tests as herein described, then there is also present in the composition a second chemical inhibitor and/or an activity enhancer;

provided also that when minoxidil is the sole chemical inhibitor then the activity enhancer is a penetration enhancer chosen from:

Dioctyl adipate

Dicapryl adipate

Diisopropyl adipate

Diisopropyl sebacate

Dibutyl sebacate

Diethyl sebacate

Dimethyl sebacate

Dioctyl sebacate

Dibutyl suberate

Dioctyl azelate

45 Debenzyl sebacate

Dibutyl phthalate

Dibutyl azelate

Ethyl myristate

Dimethyl azelate

50 Butyl myristate

Dibutyl succinate

Didecyl phthalate

Decyl oleate

Ethyl caproate

Ethyl salicylate

Isopropyl palmitate

Ethyl laurate

2-ethyl-hexyl pelargonate

Isopropyl isostearate

Butyl laurate

Benzyl benzoate

Butyl benzoate

Hexyl laurate

Ethyl caprate

Ethyl caprylate

Butyl stearate

Benzyl salicylate

2-hydroxypropanoic acid

2-hyroxyoctanoic acid,

esters of pyroglutamic acid having the structure:

O N C-O-R

(1)

20

30

15

5

where R is C₁ to C₂₀ alkyl, or- CH C00R*

and where R'and R" are the same or different and are each represented by H or the grouping: $[(CH_3)_u, (CH_2OH)_v, (CH_2CH_2)_x, (CH = CH)_z]$ (2)

where

u is zero or 1

v is zero, or the integer 1 or 2,

w is zero, or an integer of from 1 to 21

x is zero, or an integer of from 1 to 4,

y is zero, or the integer 1 or 2,

z is zero, or an integer of from 1 to 22, and

u + v + w + x + y + z is an integer of from 1 to 22;

provided that when the subgrouping (CH = CH) is present, then the total number of carbon atoms in said grouping is from 10 to 22; and/or

a cationic polymer chosen from:

Guar Hydroxypropyltrimonium chloride

Quaternium-19

Quaternium-23

Quaternium-40

Quaternium-57

Poly(dipropyldiallylammonium chloride)

Poly(methyl-\$-propaniodiallylammonium chloride)

Poly(diallylpiperidinium chloride)

Poly(vinyl pyridinium chloride)

Quaternised poly (vinyl alcohol) and

Quaternised poly-(dimethylaminoethylmethacrylate);

the total amount of chemical inhibitor present in the composition being sufficient to increase hair growth in the rat, when said composition is applied topically thereto, by at least 10% more than that obtainable using a control composition from which the said inhibitors have been omitted.

50

40

45

DISCLOSURE OF THE INVENTION

THE CHEMICAL INHIBITOR

55

As has already been stated, a "chemical inhibitor" is a substance which is not only physiologically suitable and safe for topical application to skin, but which is capable of inhibiting in some way proteoglycanase activity, and/or glycosaminoglycanase activity and/or cellular uptake of glycosaminoglycan

chains.

It is preferred that the chemical inhibitor is one which is significantly effective in at least one of these respects, that is, it is a strong inhibitor which is normally capable at a concentration of 1mM of reducing said activity or cellular uptake by more than 50%. For less effective inhibitors, ie., weak inhibitors, which are only capable, at this concentration, of reducing said activity or cellular uptake by from 5 to 50%, then it is necessary to include in the composition according to the invention a second chemical inhibitor and/or an activity enhancer.

In view of the complexity of the proteoglycan and glycosaminoglycan chain which can be degraded in different ways with a variety of enzymes, it is necessary to screen a potential chemical inhibitor in at least one of several different assay systems. Suitable assays which can be employed for endoglycosidases, exoglycosidases, sulphatases, sulphamatases are described in "Lysosomes - A Laboratory Handbook", Second Edition (1977) edited by J.T. Dingle. Proteoglycanase inhibitors may be conveniently assayed by the method described by Nagase & Woessner (1980) in Analyst. Biochem. 107 385. Cellular uptake inhibition may be assessed by using radioactively labelled glycosaminoglycans according to the method described by Eskild W, et al., (1986) in Int. J. Biochem. 18, 647.

Suitable assay methods for each of the relevant enzymes and their inhibition by chemical inhibitors will be described and illustrated later in this specification.

20 The Proteoglycanase Inhibitors

According to one embodiment of the invention, the composition comprises a direct proteoglycanase inhibitor, that is a substance which will suppress the activity of proteinase enzymes present in or in the region of the dermal papilla, and/or the connective tissue sheath of the hair follicle.

An example of a direct proteoglycanase inhibitor of this type is 1,10-phenanthroline, also identified by Galloway et al, (1983) in Biochem. J. 209, 741-742, as a bone proteoglycanase inhibitor.

Further examples of direct proteoglycanase inhibitors include various thiol, carboxyalkyl and hydroxamic peptide inhibitors, such as those described by Caputo et al., (1987) in Biochemical Pharmacology 36, 995-1002 as effective inhibitors of the action of a metalloproteinase on proteoglycan core protein. These inhibitors include:

Thiols, such as

35

AcetylPhe-LeuSH

AcetylSer-LeuSH

AcetylTrp-LeuSH

AcetylPhe-Phe-LeuSH

HSCH2CH(i-Butyl)COPheNH2

HSCH₂CH(i-Butyl)COLeu-PheNH₂

AcetylTrp-lleSH

AcetylPhe-lleSH

40 Carboxylic acids, such as

HOOCCH(i-Butyl)Leu-Leu-LeuOCH3

HOOCCH(i-Butyl)Leu-Leu-AlaNH2

HOOCCH(i-Butyi)Leu-Leu-PheNH2

HOOCCH(i-Butyi)Leu-Leu-Leu-AlaNH2

45 Hydroxamic acids, such as

HONHCOCH2CH(n-Pentyl)COLeu-PheNH2

HONHCOCH2CH(n-Pentyl)COLeu-AlaNH2

HONHCOCH2CH(i-Butyl)COLeu-PheNH2

HONHCOCH2CH(n-Pentyi)COVal-AlaNH2

According to a further embodiment of the invention, the composition can comprise an indirect proteoglycanase inhibitor, that is a substance which modifies the proteoglycan substrate so that the proteoglycanase does not recognise it. An example of an indirect proteoglycanase inhibitor of this type is the class of compounds defined as cationic oligomers.

According to this embodiment of the invention, there is provided a composition which comprises one or more oligomeric molecules containing one or more cationic groups which will bind to negatively charged anionic proteoglycan molecules and protect them from enzymic attack. Preferred cationic oligomers may be chosen from those which are rich in arginine and/or lysine, containing up to 20, preferably 5 to 10 amino acids in sequences similar to or the same as those found in naturally occurring basic proteins such as

protamines and histones.

Specific examples of cationic oligomers are:
Arg-Arg-Arg,
Cys-Arg-Arg-Arg-Lys-Arg-Arg,

Pro-Arg-Arg-Arg-Arg-Arg-Arg-Arg-Pro-Val.

The Glycosaminoglycanase Inhibitors

10

According to a further embodiment of the invention, the composition comprises a glycosaminoglycanase inhibitor chosen from endoglycosidase inhibitors, exoglycosidase inhibitors, sulphamatase inhibitors and mixtures thereof

Examples of these enzyme inhibitors, together with the relevant enzymes whose activity they inhibit, can be classified as follows:-

Chemical Class

Enzyme(s) Inhibited

20 (a) Anions (as soluble metal or ammonium salts) 25 (idurono-sulphate sulphatase (sulphatases A and B; sulphate (heparin sulphamatase . 30 (N-acetylglucosamine-6 -sulphate sulphatase 35 sulphite (sulphatase A; (heparin sulphamatase 40 pyrophosphate (sulphatase A; (chondroitin-6-sulphatase; (heparin sulphamatase 45 fluoride (sulphatase A; (heparin sulphamatase borate - heparin sulphamatase 50 chloride (sulphatase B; (chondroitin-6-sulphatase 55 gluconate - sulphatase B

Of the above anion inhibitors of sulphatase A or B, particularly preferred examples are sulphate and gluconate, especially in the form of magnesium sulphate and zinc gluconate respectively.

5 (b) Aldonolactones and esterified aldonolactones having the structure:


where A1 and A6 are -H, -CH3,

B is OR" or a lactone linkage to position 1 or 6, or -NHCOCH₃ and where R is -H or C_2 to C_8 alkyl,

R' is the remainder of the molecule joined through another C atom at positions 2 to 5 to form a lactone, R' is -H or C₂ (ie acetyl) to C₄ acyl of either configuration with respect to the backbone of this molecule. Preferred examples of aldonolactones which inhibit the exoglycosidases, as specified, are as follows:

		Enzyme(s) inhibited
5	L-Galactono-1,4-lactone	<pre>ß-galactosidase ß-N-acetylhexosamin- idase</pre>
		1uase
10	L-Arabino-1,5-lactone	ß-galactosidase
15	D-Fucono-1,5-lactone	G⁻galactosidase
	D-Glucaro-1,4-lactone	6-glucuronidase
		← -L-iduronidase
20	D-Glucurono-6,3-lactone	/3-glucuronidase
	Galactaric acid lactone	4 -1
25	The second second	<pre>β-glucuronidase</pre> ∠-L-iduronidase
		~ -L-Iduronidase
	2-Acetamido-2-deoxygluconolactone	B-N-2gotulhous
30		idase
	·	Iuase
	2-Acetamido-2-deoxygalactono-	
35	lactone	3-N-acetylhexosamin-
		idase
	D-Glucaro-1,4:6,3-dilactone	/3 -glucuronidase
40		∠ -L-iduronidase
	L-Idaro-1,4-lactone	
45	Preferred examples of esterified forms of aldonolactones which	give a more sustained inhibitory effect are:
	• •	
	2,3,5-Tri-0-acetyl-D-glucaro-1,	β-glucuronidase
50	4-lactone	∠-L-iduronidase
	•	
	2,5-Di-0-acetyl-D-glucaro-1,4:	${\cal G}$ -glucuronidase
55	6,3-dilactone	

(c) Monosaccharides and esterified monosaccharides having the structure:



20

25

5

10

15

where A is -OR or -NHCOCH₃

R is -H, -SO₃M, C₂ (ie acetyl) to C₄ acyl
R' is -H or -OR

M is -H or a metal cation.

Functional groups can be in either configuration with respect to the backbone of the above molecule.

Preferred examples of monosaccharides and esters thereof which inhibit exoglycosidases or a sulphatase, as specified, are as follows:

35	Monosaccharide/esters	Enzymes(s) inhibited
40	N-Acetylglucosamine	(<pre></pre>
45	N-Acetylgalactosamine	(β-galactosidase (β-N-acetylhexosaminidase
	D-Galactosamine	/3-N-acetylhexosaminidase
50	D-Glucosamine-3-sulphate	Sulphatase 'B'
55	N-Acetylmannosamine	∠ -N-acetylglucosaminidase

(d) Piperidines having the structure:

5

A A A

10

where

15

20

35

A is -H, -OR' or-C- OR'

R is -H, C₂ to C₈ alkyl or diamino-pyrimidine N-oxide

R' is -H or C₂ (ie acetyl) to C₄ acyl;

substituent groups A can be identical or can be represented by 2 or 3 of the groups defined above on the same ring structures. They can also be in either configuration with respect to the plane of the ring.

Preferred examples of piperidines which inhibit exoglycosidases, as specified, are as follows:

Minoxidil which inhibits the enzyme β-glucuronidase and 2(S)-Carboxy-3(R),4(R),5(S)-trihydroxypiperidine which inhibit the enzymes β-glucuronidase and α-L-iduronidase.

(e) examples of substances which inhibit the activity of the endoglycosidase hyaluronate endoglycosidaminidase are:

Phosphorylated hesperidin sodium aurothiomalate substituted thiosemicarbazone indoles, and mixtures thereof.

The glycosaminoglycan chain cellular uptake inhibitors

According to a further embodiment of the invention, the composition comprises an inhibitor of cellular uptake of glycosaminoglycan chains which prevents recognition and binding events at the cell surface by competing with glycosaminoglycan chains, or by modification of the chains so that they are no longer recognised by the cell.

An example of this class of inhibitors is given by hexuronic acid and esters thereof which may be represented by the generic structure:

50

5

10

 $\begin{array}{c}
c^{1}HO \\
 & \\
H \longrightarrow c^{2} \longrightarrow OR \\
H \longrightarrow c^{3} \longrightarrow OR \\
H \longrightarrow c^{4} \longrightarrow OR \\
\downarrow & \\
C^{6}O \cap R^{1}
\end{array}$

15

20

25

40

50

where

R is -H, -SO₃M, C₂ (ie acetyl) to C₄ acyl;

R' is -H or C2 to C8 alkyl.

Functional groups can be in either configuration with respect to the backbone of the above molecule.

Preferred inhibitors belonging to this class are glucuronic acid, iduronic acid and esters thereof.

The total amount of chemical inhibitor present in the composition according to the invention is sufficient to increase hair growth in the rat, the model selected for this test, when said composition is applied topically thereto, by at least 10% more than that obtainable using a control composition from which the said inhibitors have been omitted.

Preferably, the amount of chemical inhibitor should be sufficient to increase hair growth in the rat by at least 20%, more preferably by at least 30%, most preferably by at least 40% and ideally by at least 50%.

The sufficient amount will depend on the effectiveness of a chemical inhibitor, some being more effective than others, but in general, an amount of from 0.0001 to 99%, preferably from 0.1 to 20% by weight of the composition will provide an adequate dose to the skin after topical application.

35 Compositions containing minoxidil

Minoxidil is a weak inhibitor of β -glucuronidase activity and accordingly, when minoxidil is present in the composition, then there is also present a second chemical inhibitor and/or an activity enhancer.

Particularly preferred mixtures of minoxidil and a second chemical inhibitor include the following:

Minoxidil and Zinc gluconate

Minoxidii and Magnesium sulphate

Minoxidil and D-glucaro-1,4-lactone

Minoxidil and 1,10-phenanthroline

45 Minoxidil and D-glucosamine-3-sulphate

Minoxidil and L-idaro-1,4-lactone

Minoxidil and L-galactono-1,4-lactone

Minoxidil and 2-acetamido-2-deoxygluconolactone

Minoxidil and D-glucaro-1,4:6,3-dilactone

Minoxidil and 2,3,5-tri-0-acetyi-D-glucaro-1,4-lactone

Minoxidil and N-acetylglucosamine

Minoxidil and N-acetylmannosamine

Minoxidil and phosphorylated hesperidin

Minoxidil and glucuronic acid

When minoxidil is the sole chemical inhibitor present in the composition according to the invention, then

a special condition on its use in accordance with the invention prevails in that the activity enhancer which must accompany minoxidil, preferably in an amount sufficient to enhance significantly the hair growth activity of minoxidil, in the composition, is chosen from a limited selection of materials, referred to in detail later in this specification, namely certain penetration enhancers and certain cationic polymers.

5

25

35

40

The Vehicle

The composition according to the invention also comprises a solid, semi-solid or liquid cosmetically and/or physiologically acceptable vehicle, to enable the inhibitor to be conveyed to the skin at an appropriate dilution. The nature of the vehicle will depend upon the method chosen for topical administration of the composition. The vehicle can itself be inert or it can possess physiological or pharmaceutical benefits of its own.

The selection of a vehicle for this purpose presents a wide range of possibilities depending on the required product form of the composition. Suitable vehicles can be classified as described hereinafter.

It should be explained that vehicles are substances which can act as diluents, dispersants, or solvents for the chemical inhibitors which therefore ensure that they can be applied to and distributed evenly over the hair and/or scalp at an appropriate concentration. The vehicle is preferably one which can aid penetration of the inhibitors into the skin to reach the immediate environment of the hair follicle. Compositions according to this invention can include water as a vehicle, and/or at least one cosmetically acceptable vehicle other than water.

Vehicles other than water that can be used in compositions according to the invention can include solids or liquids such as emollients, solvents, humectants, thickeners and powders. Examples of each of these types of vehicles, which can be used singly or as mixtures of one or more vehicles, are as follows:

Emollients, such as stearyl alcohol, glyceryl monoricinoleate, glyceryl monostearate, propane-1,2-diol, butane-1,3-diol, mink oil, cetyl alcohol, ispropyl isostearate, stearic acid, isobutyl palmitate, isocetyl stearate, oleyl alcohol, isopropyl laurate, hexyl laurate, decyl oleate, octadecan-2-ol, isocetyl alcohol, cetyl palmitate, dimethylpolysiloxane, di-n-butyl sebacate, isopropyl myristate, isopropyl palmitate, isopropyl stearate, butyl stearate, polythylene glycol, triethylene glycol, lanolin, sesame oil, coconut oil, arachis oil, castor oil, acetylated lanolin alcohols, petroleum, mineral oil, butyl myristate, isostearic acid, palmitic acid, isopropyl linoleate, lauryl lactate, myristyl lactate, decyl oleate, myristyl myristate;

Propellants, such as trichlorofluoromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, monochlorodifluoromethane, trichlorotrifluoroethane, propane, butane, isobutane, dimethyl ether, carbon dioxide, nitrous oxide;

Solvents, such as ethyl alcohol, methylene chloride, isopropanol, castor oil, ethylene glycol monoethyl ether, diethylene glycol monoethyl ether, diethylene glycol monoethyl ether, dimethyl sulphoxide, dimethyl formamide, tetrahydrofuran;

Humectants, such as glycerin, sorbitol, sodium 2-pyrrolidone-5-carboxylate, soluble collagen, dibutyl phthalate, gelatin;

Powders, such as chalk, talc, fullers earth, kaolin, starch, gums, colloidal silicon dioxide, sodium polyacrylate, tetra alkyl and/or trialkyl aryl ammonium smectites, chemically modified magnesium aluminium silicate, organically modified montmorillonite clay, hydrated aluminium silicate, fumed silica, carboxyvinyl polymer, sodium carboxymethyl cellulose, ethylene glycol monostearate.

The amount of vehicle in the composition, including water if present, should preferably be sufficient to carry at least a portion of a selected chemical inhibitor to the skin in an amount which is sufficient effectively to enhance hair growth. The amount of the vehicle can comprise the balance of the composition, particularly where little or no other ingredients are present in the composition. Accordingly, the vehicle or vehicles can comprise from 1 to 99.99%, preferably from 50 to 99.5% and ideally from 90 to 99% by weight of the composition.

50

Perfume

The composition according to the invention can also optionally comprise a perfume in an amount sufficient to make the composition acceptable to the consumer and pleasant to use. Usually, the perfume will form from 0.01 to 10% by weight of the composition.

Activity Enhancer

The composition according to the invention can also optionally comprise an activity enhancer, especially when the chemical inhibitor is a weak inhibitor.

The activity enhancer can be chosen from a wide variety of molecules which can function in different ways to enhance the hair growth effects of the chemical inhibitor. Particular classes of activity enhancers include other hair growth stimulants, penetration enhancers and cationic polymers, whose presence can further improve the delivery of the chemical inhibitor through the stratum corneum to its site of action in the immediate environment of the hair follicle.

Some activity enhancers can also function as vehicles for the chemical inhibitor.

(a) Other Hair Growth Stimulants

15 Examples of other substances which themselves possess the ability to stimulate or increase hair growth include, for example

; Benzalkonium chloride

Benzethonium chloride

Phenol

20 Estradiol

5

10

Diphenhydramine hydrochloride

Chlorpheniramine maleate

Chlorophyllin derivatives

Cholesterol

25 Salicylic acid

Cystine

Red pepper tincture

Benzyl nicotinate

di-Menthol

30 Peppermint oil

Calcium pantothenate

Panthenol

Castor oil

Hinokitiol

35 Prednisolone

Resorcinol

Further substances which themselves possess the ability to increase the rate of terminal hair growth include:

 α -1,4 esterified disaccharides described by Choay S.A. in EP-A-O 064 012, having the structure:

where

45

50

Z represents a functional nitrogen group, such as an azide or a group having the structure -NHB, in which B represents -H or a functional group such as acetyl or sulphate as a salt with an organic or mineral cation:

M represents -H or SO₃M₁, where M₁ is an organic or metallic cation, particularly an alkali metal; or an acetyl group;

R represents a C1 to C4 alkyl radical, especially methyl; or an aryl radical;

A represents a functional group such as an acid or -COOR1, where R1 represents -H or a C1 to C2 alkyl radical, especially methyl; or a metal, especially an alkali metal; esterified oligosaccharides as described in Unilever in EP-A-O 211 610, including at least one esterified disaccharide unit consisting of a uronic acid residue having the structure:

H.OR" HOR"

and a hexosamine residue having the structure:

H.OR" HOR" HOR"

where

5

10

20

25

30

45

R' is -H, C₃ to C₁₀ alkyl or

COOR"
-CH(CH₂)_nCH₃

R" is -H, C₁ to C₄ alkyl, -CO(CH₂)_mCH₃, -SO₃M, R" is -H, -CO(CH₂)_mCH₃ or -SO₃M, M is -H, or a metallic or organic cation n is 0 or an integer of from 1 to 7, and m is 0 or the integer 1 or 2;

the groups designated R' being the same or different, one R' group from each pyranose ring structure being linked by a glycosidic linkage having the configuration α -1,3, α -1,4, β -1,3 or β -1,4; and the -COOR', -CH₂OR' and -OR' groups being of either configuration with respect to the pyranose rings;

Minoxidil glucuronides, as described by Unilever in EP-O 242 967, Minoxidil sulphates, as described by The Upjohn Co. in WO 86/04231.

(b) Penetration Enhancers

As has been stated earlier, the presence of a penetration enhancer can potentiate the benefit of the chemical inhibitor, by improving its delivery through the stratum corneum to its site of action in the immediate environment of the hair follicle close to the dermal papilla

The penetration enhancer can accordingly function in a variety of ways. It can for example, improve the distribution of the hair growth promoter on the skin surface or, it can increase its partition into the skin from the composition when applied topically, so aiding its passage to its site of action. Other mechanisms enhancing the benefit of the chemical inhibitor may also be involved. Examples of penetration enhancers include:

2-methyl propan-2-ol

Propan-2-oi

Ethyl-2-hydroxypropanoate

Hexan-2,5-diol

POE(2) ethyl ether

5 Di(2-hydroxypropyl) ether

Pentan-2,4-diol

Acetone

POE(2) methyl ether

2-hydroxypropionic acid

10 2-hydroxyoctanoic acid

Propan-1-ol

1,4 Dioxane

Tetrahydrofuran

Butan-1,4-diol

15 Propylene glycol dipelargonate

Polyoxypropylene 15 stearyl ether

Octyl alcohol

POE ester of oleyl alcohol-

Oleyl alcohol

20 Lauryl alcohol

Dioctyl adipate

Dicapryl adipate

Diisopropyl adipate

Diisopropyl sebacate

25 Dibutyl sebacate

Diethyl sebacate

Dimethyl sebacate

Dioctyl sebacate

Dibutyl suberate

30 Dioctyl azelate

Debenzyl sebacate

Dibutyl phthalate

Dibutyl azelate

Ethyl myristate

35 Dimethyl azelate

Butyl myristate

Dibutyl succinate

Didecyl phthalate

Decyl oleate

40 Ethyl caproate

Ethyl salicylate

Isopropyl palmitate

Ethyl laurate

2-ethyl-hexyl pelargonate

45 Isopropyl isostearate

Butyl laurate

Benzyi benzoate

Butyl benzoate

Hexyl laurate

50 Ethyl caprate

Ethyl caprylate

Butyl stearate

Benzyl salicylate

2-hydroxypropanoic acid

55 2-hyroxyoctanoic acid,

Yet further penetration enhancers include esters of pyroglutamic acid having the structure:-

where R is C1 to C30 alkyl, or-CHC00R*

and where R' and R" are the same or different and are each represented by H or the grouping: $[(CH_3)_u, (CH_2OH)_v, (CH_2)_w, (CH_3CH_2)_x, (CH = CH)_z]$ where

u is zero or 1

5

15

30

35

40

45

50

v is zero, or the integer 1 or 2,

w is zero, or an integer of from 1 to 21

x is zero, or an integer of from 1 to 4,

y is zero, or the integer 1 or 2,

z is zero, or an integer of from 1 to 22, and

u + v + w + x + y + z is an integer of from 1 to 22;

provided that when the subgrouping (CH = CH) is present, then the total number of carbon atoms in said grouping is from 10 to 22.

Examples of suitable esters of pyroglutamic acid where R in structure (1) is C1 to C20 alkyl are:

pyroglutamic acid methyl ester

pyroglutamic acid ethyl ester

25 pyroglutamic acid n-propyl ester

pyroglutamic acid n-butyl ester

pyroglutamic acid n-heptyl ester

pyroglutamic acid n-octyl ester

pyroglutamic acid n-nonyl ester

pyroglutamic acid n-decyl ester

pyroglutamic acid n-undecyl ester

pyroglutamic acid n-dodecyl ester

pyroglutamic acid n-tridecyl ester

pyroglutamic acid n-tetradcyl ester

pyroglutamic acid n-hexadecyl ester

pyroglutamic acid n-octadecyl ester

pyroglutamic acid n-eicosyl ester

pyroglutamic acid iso-propyl ester

pyroglutamic acid 2-methylhexyl ester

pyroglutamic acid 2-ethylhexyl ester

pyroglutamic acid 3,7-dimethyloctyl ester

pyroglutamic acid 2-hexyldecyl ester

pyroglutamic acid 2-octyldodecyl ester

pyroglutamic acid 2,4,4-trimetyl-1-pentane ester

pyroglutamic acid methyloctyl ester

Particularly preferred esters of this group are those where R in structure (1) is C1 to C14 alkyl, (linear or branched), especially C1 to C6 (linear or branched).

Further examples of preferred esters of pyroglutamic acid, where R in structure (1) is

are those where R' and/or R' having the structure shown for grouping (2), include straight and branched chain, saturated or unsaturated aliphatic groups having from 1 to 22 carbon atoms, such as the alkyl groups:

methyl

```
ethyl
        propyl
        iso-propyl
        butyl
        iso-butyl
        n-valeryl
        iso-valeryl
        n-caproyl.
        n-heptyl
10
        n-caprylyi
        n-capryl
        lauryl
        myristyl
        palmityl
15
        stearyl, and
        arachidyl.
    and the C<sub>10-22</sub> alkenyl groups:
        linolevi
        linolenyl
20
        y-linolenyl
        arachidonyl, and
        columbinyl.
        Further examples of the grouping (2) also include hydroxyalkyl groups having from 1 to 22 carbon
    atoms, such as:
        hydroxymethyl
25
        2-hydroxyethyl
        2-hydroxy-n-propyl
        3-hydroxy-n-propyi
        2-hydroxy-n-butyl
        3-hydroxy-n-butyl
30
        4-hydroxy-n-butyl
        5-hydroxy-n-valeryl
        6-hydroxy-n-caproyi
        2,3-dihydroxy-n-propyl
        2,3-dihydroxy-n-butyl
35
        12-hydroxystearyl.
        It is to be understood that the above list is not exhaustive, there being many other examples of alkyl or
    substituted alkyl groups expressed by the above generic grouping (2).
        Further specific examples of esters of pyroglutamic acid which are particularly suited to use as
   penetration enhancers are
        2-[pyroglutamoyloxy]-propionic acid
        methyl-2-[pyrogiutamoyloxy]-acetate
        ethyl-2-[pyroglutamoyloxy]-n-propionate
        ethyl-2-[pyroglutamoyloxy]-n-butyrate
        ethyl-2-[pyroglutamoyloxy]-iso-butyrate
        ethyl-2-[pyroglutamoyloxy]-n-valerate
        ethyl-2-[pyroglutamoyloxy]-n-caproate
        ethyl-2-[pyroglutamoyloxy]-n-heptylate
        ethyi-2-[pyrogiutamoyloxy]-n-caprylate
        ethyl-2-[pyroglutamoyloxy]-n-pelargonate
50
         ethyl-2-[pyroglutamoyloxy]-3-hydroxybutyrate
        iso-propyl-2-[pyroglutamoyloxy]-n-propionate
        iso-propyl-2-[pyroglutamoyloxy]-n-caprylate
         n-propyl-2-[pyrogiutamoyloxy]-n-propionate
         n-propyl-2-[pyroglutamoyloxy]-n-caprylate
55
         stearyl-2-[pyroglutamoyloxy]-n-propionate
         12-hydroxystearyl-2-[pyroglutamoyloxy]-n-propionate
         stearyi-2-[pyroglutamoyloxy]-n-stearate
```

palmityl-2-[pyroglutamoyloxy]-n-propionate
linoleyl-2-[pyroglutamoyloxy]-n-propionate
linoleyl-2-[pyroglutamoyloxy]-n-caprylate
lauryl-2-[pyroglutamoyloxy]-n-caprylate
stearyl-2-[pyroglutamoyloxy]-n-caprylate
glyceryl mono(2-[pyroglutamoyloxy]-n-propionate)
glyceryl di(2-[pyroglutamoyloxy]-n-propionate).

It is to be understood that the above lists of specific examples of esters of pyroglutamic acid are not exhaustive, there being many other examples expressed by the generic structure of these esters.

Further examples of penetration enhancers include:-

Dimethyl sulphoxide
N,N-Dimethyl acetamide
N,N-Dimethyl formamide
2-Pyrrolidone
1-Methyl-2-pyrrolidone
5-Methyl-2-pyrrolidone
1,5-Dimethyl-2-pyrrolidone
1-Ethyl-2-pyrrolidone
Phosphine oxides
Sugar esters
Tetrahydrofurfural alcohol
Urea

Diethyl-m-toluamide, and1-Dodecylazacyloheptan-2-one

Further examples of penetration enhancers include surface active agents, preferred examples of which include:

30 (i) Anionic surface active agents, such as metallic or alkanolamine salts of fatty acids for example sodium laurate and triethanolamine oleate;

alkyl benzene sulphonates, for example triethanolamine dodecyl benzene sulphonate:

alkyl sulphates, for example sodium lauryl sulphate;

alkyl ether sulphates, for example sodium lauryl ether sulphate [2 to 8 EO];

sulphosuccinates, for example sodium dioctyl sulphonsuccinate:

monoglyceride sulphates, for example sodium glyceryl monostearate monosulphate;

isethionates, for example sodium isethionate

; methyl taurides, for example Igepon T;

acylsarcosinates, for example sodium myristyl sarcosinate;

40 acyl peptides, for example Maypons and Lamepons;

acyl lactylates,

polyalkoxylated ether glycollates, for example trideceth-7 carboxylic acid;

phosphates, for example sodium dilauryl phosphate.

- (ii) Cationic surface active agents, such as amine salts, for example sapamin hydrochloride; quartenary ammonium salts, for example Quaternium 5, Quaternium 31 and Quaternium 18;
- (iii) Amphoteric suface active agents, such as imidazol compounds, for example Miranol; N-alkyl amino acids, such as sodium cocaminopropionate and asparagine derivatives;

betaines, for example cocoamidopropylbetaine

(iv) Nonionic surface active agents, such as fatty acid alkanolamides, for example oleic ethanolamide; esters of polyalcohols, for example Span;

polyglycerol esters, for example that esterified with C₁₂₋₁₈ fatty acids and one or several OH groups; polyalkoxylated derivatives, for example polyoxy:polyoxyethylene stearate, and octylphenoxy polyethoxyethanol (TRITON X-100);

ethers, for example polyoxyethylene lauryl ether;

ss ester ethers, for example Tween;

amine oxides, for example coconut and dodecyl dimethyl amine oxides.

Mixtures of two or more of the above surface active agents can be employed in the composition according to the invention.

(c) cationic polymers chosen from:

Guar Hydroxypropyltrimonium chloride

Quaternium-19

5 Quaternium-23

Quaternium-40

Quaternium-57

Poly(dipropyldiallylammonium chloride)

Poly(methyl-\$-propaniodiallylammonium chloride)

10 Poly(diallylpiperidinium chloride)

Poly(vinyl pyridinium chloride)

Quaternised poly (vinyl alcohol)

Quaternised poly (dimethylaminoethylmethacrylate); and

mixtures thereof

15

It is to be understood that even when a strong chemical inhibitor is employed, then it is also desirable, though not essential, to incorporate an activity enhancer in the composition according to the invention, in order further to enhance its benefit in increasing the hair growth.

The amount of activity enhancer, when employed in accordance with the invention, will normally be from 0.1 to 50%, preferably from 0.5 to 25% and most preferably from 0.5 to 10% by weight of the composition.

Further preferred embodiments of the invention

25

35

Further preferred embodiments of the invention are those where the composition according to the invention comprises an activity enhancer in addition to at least one chemical inhibitor.

Particularly preferred mixtures of chemical inhibitors and activity enhancers include the following, where minoxidil as a less effective chemical inhibitor, as herein defined, should be employed in compositions according to the invention with an activity enhancer.

Accordingly, preferred mixtures are:

Minoxidil and diisopropyl sebacate

Minoxidil and pyroglutamic acid methyl ester

Minoxidil and pyroglutamic acid n-propyl ether

Minoxidil and 2[pyroglutamoyloxy]-propionic acid

Minoxidil and ethyl-2-[pyroglutamoyloxy]-n-propionate

Minoxidil and 2-hydroxy octanoic acid

40 Other hair growth promoter adjuncts

The composition according to the invention can also contain adjuncts other than those already mentioned, depending on the form of the intended product. It is, for example, possible to include antiseptics, preservatives, antioxidants, emulsifiers and colouring agents, which can improve the stability and consumer appeal of the composition.

The composition according to the invention can also be employed as a vehicle for a wide variety of cosmetically or pharmaceutically active ingredients, particularly ingredients which have some beneficial effect other than the promotion of hair growth when applied to the skin.

50

Process

The invention also provides a process for the preparation of a composition suitable for topical application to mammalian skin or hair which comprises mixing a chemical inhibitor as herein defined, with a suitable vehicle to provide a composition according to the invention, in which the inhibitor forms from 0.0001 to 99% by weight of the composition.

Product Form and Container

The compositions of the invention can be formulated as liquids, for example as a lotion, shampoo, milk or cream for use in conjunction with an applicator such as a roll-ball applicator, or a spray device such as an aerosol can containing propellant, or a container fitted with a pump to dispense the liquid product. Alternatively, the compositions of the invention can be solid or semi-solid, for example sticks, creams or gels, for use in conjunction with a suitable applicator or simply a tube, bottle or lidded jar, or as a liquid-impregnated fabric, such as a tissue wipe.

The invention accordingly also provides a closed container containing a composition as herein defined.

10

Use of the Chemical Inhibitor for Inducing, Maintaining or Increasing Hair Growth

The invention also provides for the use of a chemical inhibitor, as herein defined, for topical application to mammalian skin or hair for inducing, maintaining or increasing hair growth.

The compositions according to the invention are primarily intended for topical application to the scalp of the human subject, particularly where the head is already bald or balding, in order to promote the regrowth of terminal hair. The compositions can also be applied profilactically to the hair and hence the scalp to reduce or prevent the onset of baldness.

The amount of the composition and the frequency of application to the hair and/or scalp can vary widely, depending on personal needs, but it is suggested as an example that topical application of from 0.1 to 5g daily containing from 0.00001 to 1g of a selected chemical inhibitor over the period of at least six months will in most cases result in an improvement in hair growth.

25

EVALUATION OF EFFICACY OF CHEMICAL INHIBITORS USING THE RAT MODEL

(i) Measurement of hair growth using the rat model

The effect of compounds on hair growth was assessed using male rats as an animal model as follows. In each of the comparisons reported below, 10 rats were used.

A small patch of normal skin (4cm × 4cm) on the upper back of each rat was clipped at the start of the experiment and a hair growth stimulant composition (or a control) applied twice daily topically to the clipped area. Hair was clipped from the area of the patch twice weekly, collected and weighed at each time point, and cumulative hair weight calculated. From these data, it was possible to estimate the effect of a chemical inhibitor as a test compound on the amount and duration of hair growth during the experiment. A positive response, ie. an increase of at least 10% by weight of hair, compared with a control, indicates the potential of the test substance to prevent hair loss and/or reverse baldness in human subjects.

40

(ii) Validation of rat model for hair growth using Minoxidil

The rat model was validated by showing that topical application of a known promoter of human hair regrowth, namely 2% (w/v) minoxidil in a vehicle of 70% ethanol, 20% water and 10% propylene glycol, caused a significant increase of 55% in hair growth as shown below:

50

٠.	Treatment	Mean Cumulative Hair weight (mg) ± sd, after 45 days	Significance Level (vs vehicle)
	2% minoxidil Vehicle (control)	599.2 ± 85.1 387.3 ± 75.9	p = 0.001*

* statistically significant

5

10

15

40

(iii) Measurement of hair growth following topical application of D-glucaro-1,4-lactone as enzyme inhibitor

Topical treatment with a composition according to the invention was found to stimulate hair growth. In this example, the effect of topical application of D-glucaro-1,4-lactone, an inhibitor of β -glucuronidase is shown. The test solution in this experiment contained approximately 7% (w/v) of the glucarolactone in the form of an equilibrium mixture prepared from boiled calcium glucarate. The vehicle was 33% (v/v) ethanol containing 50mM Na citrate at pH 4.2. Test or control solutions (0.3ml) were applied twice-daily to the clipped site; the hair growth results are shown below in Table 2.

Table 2

30			
	Treatment	Mean Cumulative	Significance
		Hair Weight (mg)	Level
35		± sd, after 45 days	(vs vehicle)
	7% Glucarolactone	482.7 ± 58.4	p < 0.05*
	Webicle (control)	427 2 + 58 7	

* statistically signficant

In addition to demonstrating a statistically significant stimulation of hair growth (a 13% increase) as shown in Table 2, glucarolactone has been consistently found to advance the onset of anagen, thus reducing the amount of time spent in the resting stage of hair cycle.

(iv) Synergistic interaction of D-glucaro-1,4-lactone and minoxidil in hair growth

In other experiments, glucarolactone has been found to display a synergistic effect on hair growth in combination with a low concentration of minoxidil. Both glucarolactone and minoxidil are β-glucuronidase inhibitors. This effect is illustrated in Table 3 below, in which the vehicle was 33% v/v ethanol in 50mM sodium citrate, pH4.2:

Treatment	Mean Cumulative hair weight (mg) ± sd, after 45 days	Significance level (vs vehicle)	Increase in hair growth (%) (Test vs control)
7% glucarolactone (GL)	482.7 ± 58.4	p < 0.05*	13
0.2% minoxidil (M)	465.8 ± 48.8	p > 0.1	9
7% GL + 0.2% M	561.1 ± 57.7	p = 0.001*	31
Vehicle (control)	427.2 ± 58.7		

* statistically significant

From these results, it can be seen that the hair growth properties of minoxidil alone (9% increase in hair growth), can be greatly enhanced when the glucarolactone is present (31% increase in hair growth), thus making possible the use of a lower than usual concentration of minoxidil (for example, 0.2% by weight which is water soluble, instead of 2% by weight which is not) without diminishing its ability to stimulate hair growth. The statistical significance of this synergistic effect can be deduced from the results shown in Table 3 above, when it is realised that the mean of GL + M was compared with either GL (p < 0.01) or M (p = 0.001) alone.

A further advantage of using a composition containing a lower than usual concentration of minoxidil is the enhanced in-use safety margin, bearing in mind possible contra-indications which alledgedly follow topical application of higher concentrations of minoxidil.

(v) Influence of 1-methylpyrrolidone as activity enhancer in the stimulation of hair growth with glucarolactone

In a further experiment, glucarolactone was tested in the presence of an activity enhancer, 1-methylpyrrolidone. Again, a significant increase in hair weight was obtained, as shown below in Table 4, in which the vehicle was 33% v/v aqueous ethanol containing 50mM Na citrate buffer pH4.2 and 10% w/v 1-methylpyrrolidone.

55

45

Mean Cumulative Significance
Hair Weight (mg) Level (vs
± sd, after 46 days vehicle)

7% glucarolactone 706.2 ± 86.6 p < 0.01*

vehicle (control) 611.1 ± 48.1
* statistically significant

This represents a 15% increase in hair growth.

(vi) Influence of the wetting agent Triton X-100 as an activity enhancer in the stimulation of hair growth with glucarolactone

In a further experiment, the inclusion of a surface active agent, Triton X-100 was found to provide a particularly advantageous activity enhancer for glucarolactone, as shown below in Table 5, in which the vehicle was 20% v/v ethanol containing 50mM sodium citrate, pH4.2 and 0.1% w/v Triton X-100.

30	Treatment	Mean Cumulative Hair Weight (mg) t sd, after 43 days	Significance Level (vs vehicle)
35	7% glucarolactone	573.3 ± 82.5	p = 0.001*
40	<pre>vehicle (control) * statistically sign</pre>		-

This represents a 39% increase in hair growth.

(vii) Influence of Zinc gluconate as an inhibitor of Sulphatase B in the stimulation of hair growth

in another experiment, the effect of sulphatase B inhibitor, zinc gluconate was examined and found to produce a significant increase in hair weight as shown below in Table 6, in which the vehicle was 20% aqueous ethanol.

55

50

45

5	Treatment	Mean Cumulative	Signficance
		Hair Weight (mg)	Level (vs
		± sd, after 45 days	vehicle)
10	2% (w/v) zinc		
	gluconate	460.9 ± 45.7	p < 0.05*

vehicle (control) 397.8 ± 56.3
* statistically significant

This represents a 16% increase in hair growth.

20

15

Assay of enzyme activity and cellular uptake, and inhibition thereof with the chemical inhibitor

It is a feature of the invention that the chemical inhibitor is one whose inhibition of proteoglycanase activity, glycosaminoglycanase activity or cellular uptake of glycosaminoglycans chains is such that a 1mM aqueous solution of the inhibitor reduces said activity or said cellular uptake by more that 50% as measured by an appropriate assay.

For chemical inhibitors which are less effective in that at the same concentration, they reduce said activity or said cellular uptake by from 5 to 50%, it is then necessary to include also a second chemical inhibitor and/or an activity enhancer as herein defined, which will not necessarily increase said activity or said cellular uptake, as measured in vitro, but which will nevertheless further enhance hair growth, often synergistically.

In each of the assays referred to herein, the chemical inhibitor was tested at a pH close to the optimum pH value of the relevant enzyme, and under conditions of saturating substrate concentration, to ensure that V_{max} was obtained in the controls.

The relevant assays employed to assess the ability of chemical inhibitors to inhibit enzyme activity or cellular uptake are as follows:

1. Proteoglycanase assay

The degradation of proteoglycan by proteoglycanase and its inhibition was determined using the method described by Nagase & Woessner in Analyt. Biochem., 107, 385 (1980).

2. Glycosaminoglycanase assay

in view of the complexity of the glycosaminoglycan chain, several different enzymes are known to cleave this chain at different points. Glycosaminoglycanases, can accordingly be classified into exoglycosidases, endoglycosidases, sulphatases and sulphamatases. Different assay methods were used for each of these classes. These methods are outlined below.

2.1 Exoglycosidases

2.1.1 B. N-acetylhexosaminidase

2.1.2 β-glucuronidase

2.1.3 B -galactosidase

2.1.4 a -N-acetylglucosaminidase

The activity of each of these four exoglycosidases was measured using a method described in "Lysosomes, A Laboratory Handbook", edited by Dingle J.T., Second Edition, (1977) at page 118.

2.1.5 α-L-iduronidase

10

The activity of α -L-iduronidase was measured using Method II described by Dingle J.T. [Ibid., at page 119].

5 2.2 Endoglycosidase

2.2.1 Hyaluronate endoglycosidaminidase

The activity of hyaluronate endoglycosaminidase, also known as hyaluronidase was assayed by the method described by Dingle J.T [lbid., at page 116].

2.2.2 Heparan sulphate endoglycosidase

The activity of heparan sulphate endoglycosidase was assayed by the method described by Hook et al., (1975) in Biochem. Biophys. Res. Commun. 67, 1422-1428.

3. Sulphatases and Sulphamatases

30

25

3.1 Sulphatase A and Sulphatase B

The activity of sulphatase A and B was measured using the method described by Dingle J.T. [Ibid., at page 115].

35

3.2 Chondroitin-6-Sulphatase

The activity of chondroitin-6-sulphatase was measured using the method reported by Singh et al (1976) in J. Clin. Invest. 57, 1036-1040.

3.3 Idurono-sulphate sulphatase

The activity of idurono-sulphate sulphatase was measured using the method reported by Lim et al (1974) in Carbohyd. Res. 37, 103-109.

3.4 Heparin Sulphamatase

50

45

The activity of heparin sulphamatase was measured using the method reported by Friedman and Arsenis (1972) in Biochem. Biophys. Res. Commun. 48 1133-1139.

3.5 N-Acetylglucosamine-sulphate sulphatase

The activity of N-acetylglucosamine sulphate sulphatase was measured using the method reported by Habuchi et al (1979) in J.Biol. Chem., <u>254</u>, 7570-7578.

4. Inhibition of cellular uptake of glycosaminoglycan chains

The inhibition of cellular uptake of glycosaminoglycan chains was measured using the method reported by Eskild et al., (1986) in Int. J. Biochem. 18, 647-651.

The inhibitory effect of minoxidil on B-glucuronidase activity

The ability of minoxidil to inhibit the activity of β -glucuronidase was evaluated by the method reported by Dingle J.T. [lbid., page 118] as described herein.

The results using different concentrations of minoxidil when incubated with a mixture of this enzyme and the nitrophenyl glucuronide substrate were as follows:

15	Minoxidil mg/ml	concentration mM	<pre>% inhibition of eta-glucuronidase</pre>
20	0.05	0.24	2
20	0.4	1.9	12
	0.8	3.8	23

The percent inhibition of a 1mM concentration of minoxidil is accordingly 6%. This confirms that minoxidil is a weak enzyme inhibitor and, in accordance with the composition of the invention, when the inhibitory effect of an inhibitor is between 5 and 50%, as herein defined, then it is necessary to include in a composition containing minoxidil, a second chemical inhibitor and/or an activity enhancer.

The inhibitory effect of glucuronic acid and glucurono-6,3-lactone on β-glucuronidase activity

The ability of glucuronic acid and glucurono-6,3-lactone to inhibit the activity of β -glucuronidase was also evaluated by the method reported by Dingle J.T. [lbid., page 118].

The results when the acid or the lactone were incubated with a mixture of this enzyme and the nitrophenyl glucuronide substrate were as follow:

	Inhibitor I	Inhibitor concentration		% inhibition of
40		mg/ml	Mm	B -glucuronidase
	Glucuronic acid	0.2	1.03	20
45	Glucurono-6,3-lact	one 0.2	1.14	51

The percentage inhibition of a 1mM concentration of glucuronic acid is accordingly 19.4 and that of glucurono-6,3-lactone is 44.7. This confirms that both glucuronic acid and glucurono-6,3-lactone are weak enzyme inhibitors and, in accordance with the composition of the invention, when the inhibitory effect of an inhibitor is between 5 and 50%, as herein defined, then it is necessary to include in such a composition a second chemical inhibitor and/or an activity enhancer.

Examples

55

5

30

The invention is illustrated by the following examples:

Example I

This Example illustrates a lotion according to the invention which is suitable for topical application to the scalp in order to promote hair growth.

The lotion has the following formulation:

		8 W/W
10	L-Galactono-1,4-lactone	0.1
	ethanol	99.995
	perfume	q.s.

15

5

Example 2

This Example illustrates a hair tonic which is suitable for application to hair or scalp.

The hair tonic has the following formulation:

		<u>* W/W</u>
25	L-Arabino-1,5-lactone	0.8
	ethanol	50
	water	49
30	perfume	q.s.

Example 3

This Example also illustrates a lotion which is suitable for topical application to the scalp. The lotion has the following formulation:

40

35

45		<u> </u>
40	D-Fucono-1,5-lactone	1.5
	propan-2-o1	10
	ethanol	88.5
50	perfume	a.s.

5

50

55

This Example also illustrates a hair tonic which is suitable for application to hair or scalp. The hair tonic has the following formulation:

D-Glucaro-1,4-lactone 0.2
ethanol 40
water 59.80
perfume q.s.

Examples 5 to 8

The following formulations represent lotions which can be used topically in the treatment of bald or balding male or female heads.

25				8 w/w		
			<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>
•	Hydroxyethyl cellulo	se	0.4	_	0.4	_
30	Absolute ethanol		25	25	25	25
	Propane-1,2-diol			-	38.4	38.4
	Butane-1,3-diol		38.4	38.8	-	_
35	Paramethyl benzoate		0.2	0.2	0.2	0.2
	D-Glucaro-1,4:6,3-					•
	dilactone		5	-	-	_
	L-Idaro-1,4-lactone			1	-	-
40	D-Glucurono-6,3-					
	lactone		-	-	0.8	-
	Galactaric acid					
45	lactone*		-	-	-	0.6
40	Perfume		1	1	1	1
	Water	to	100	100	100	100

* 1,2,5-tri-0-acetyl-D-glucurono-6,3-lactone

Examples 9 to 12

5

The following formulations represent creams which can be used in the treatment of baldness.

				8 w/w		
			<u>9</u>	10	<u>11</u>	12
10	Cetyl alcohol					
	polyoxyethylene (1	.0)	4	4	4	4
	Cetyl alcohol		4	4 55	4	4
15	Mineral oil		4	2	_	-
	Paraffin wax		-	2	4	-
	Partial glyceride					
	of palmitic and					
20	stearic acids		-	-	_	4
	N-Acetylglucosamine-	•				
	lactone*		2	-	_	_
25	N-Acetylgalactosamir	10-				
	lactone+		-	-	_	1
	N-Acetylglucosamine			1.5	<u> -</u>	-
30	A-Acetylgalactosamir	e	_	-	2	<u>:</u>
30	Triethanolamine		0.75	0.75	0.75	0.75
	Butane-1,3-diol		3	3	3	3
	Xanthan gum		0.3	0.3	0.3	0.3
35	Preservative		0.4	0.4	0.4	0.4
	Perfume		q.s.	q.s.	q.s.	q.s.
	Water	to	100	100	100	100

Example 13

This Example illustrates a water-in-oil high internal phase emulsion containing a glycosaminoglycanase inhibitor according to the invention.

The emulsion consisted of 10% by volume oily phase and 90% by weight aqueous phase.

The oily phase and the aqueous phase had the following constitution:

55

40

^{* 2-}Acetamido-2-deoxygluconolactone

^{+ 2-}Acetamido-2-deoxygalactonolactone

		8 w/w
	Oily phase	
5	Sorbitan monooleate	20
	Quartenium-18 hectorite	5
	Liquid paraffin	75
10	·	
	Aqueous phase	*
	D-Glucosamine-3-sulphate	0.5
15	Xanthan gum	1
75	Preservative	0.3
	Perfume	q.s.
	Sodium chloride (1% w/w solution)	to 100

The emulsion was prepared by taking 10 parts by volume of the oily phase and to it adding slowly with stirring 90 parts by volume of the aqueous phase.

The high internal phase water-in-oil emulsion so formed can be applied topically to the scalp, to improve hair growth and regrowth.

The following examples 14 to 18 illustrate shampoos for use in washing the hair and scalp, and for promoting hair growth on the scalp.

.

10			8 w/w
	Sodium lauryl ether sulphate		
	(2 EO) [21% AD]		41.4
15	Lauryl dimethylamino acetic acid		
	betaine: [30% AD]	4	
	Coconut fatty acid diethanolamine		1.5
	Oleyl triethoxy phosphate (BRIPHOS 03D)		1
20	Polyglycol-polyamine condensation		
	resin (POLYQUART H) [50% active]		1.5
	Preservative, colouring matter, salt		0.58
25	2(S)-Carboxy-3(R),4(R),5(R)-trihydroxy		
	piperidine		5
	Perfume		q.s.
30	Water	to	100
		-	

Example 15

		<u>% w/w</u>
40	Sodium lauryl ether sulphate (2 EO)	
	[100% AD]	12
	POLYMER JR400	2.5
45	BRIPHOS 03D	2.5
•	D-Glucaro-1,4:6,3-dilactone	4
	Magnesium Sulphate	5
	Perfume	q.s.
50	Water	to 100

55

35

Example 16

		% W/W
	Monoethanolamine lauryl sulphate:	
15	[100% AD]	20
	JAGUAR C13S	3
	BRIPHOS 03D	1.7
20	Coconut diethanolamide	5
	D-Glucaro-1,4-lactone	1
	Zinc gluconate	3
	Perfume	
25	Water	q.s. to 100
	pH adjusted to 6.5	to 100

Example 17

35	•	% W/W.
	Sodium lauryl ether sulphate (3 EO) :	
	[100% AD]	12
	jaguar c13s	0.3
40	BRIPHOS O3D	1
	N-Acetylglucosamine	2
	Sodium chloride	4
45	Perfume	q.s.
	Water	to 100

pH adjusted to 6.5

		ī	
		1	

		8 w/w
	Sodium lauryl ether sulphate (2 EO)	
10	[100% AD]	12
70	POLYMER JR400	3
	BRIPHOS 03D	1
	Opacifier	9
15	Magnesium sulphate	5
	Perfume	q.s.
	Water	to 100

20

25

pH adjusted to 6.5

Examples 19 to 24

The following Examples 19 to 24 illustrate powder compositions according to the invention which can be applied topically to the scalp.

30

						8 W	/w	
			19	20	21	22	23	24
35	Chemically modified							
	starch		5		5	_	5	_
	Chemically modified							
40	cellulose		_	5	_	5	_	5 .
	Boric acid		10	10	10	10	10	10
	Zinc oxide		5	5	5	5	5	5
	D-Glucaro-1,4-lacton	е	3	2	5	1	-	-
45	Minoxidil glucuronide	e	5	10	2	4	3	· 5
	D-Glucaro-1,4:6,3-							
	dilactone		_	-	-	2	5	. 3
50	Perfume		q.s.	. q.s	q.s.	q.s.	q.s	. q.s.
	Chalk		10	10	10	10	10	10
	Talc	to	100	100	10.0	100	100	100

5

25

30

The following example illustrates a lotion according to the invention which can be applied topically to the scalp to prevent hair loss and stimulate hair regrowth.

		<u>₹ w/w</u>
10	D-Glucaro-1,4-lactone	7
	Minoxidil	0.2
	ethanol	16
	citric acid	1.05
15	water	to 100

pH adjusted to 4.2 with sodium hydroxide

Examples 26 & 27

These examples illustrate hair tonics which are suitable for application to the hair and scalp. The hair tonics had the following formulation:

		8 1	<u>v/w</u>
35		26	27
	Hydroxamic acid *	2	
	Hydroxamic acid +	-	3
40	ethanol	50	50
	water	48	47
	perfume	q.s.	q.s.

* HONHCOCH₂CH(n-Pentyl)COLeu-PheNH₂ + HONHCOCH₂CH(n-Pentyl)COLeu-AlaNH₂

55

45

This example illustrates a microgel which is suitable for topical application to hair or scalp. The gel had the following formulation:

5

				8 w/w
10	A.	Polyoxyethylene (10) oleyl ether		14.5
		Polyoxyethylene fatty glyceride		14.5
15		Light liquid petroleum		13.7
		Propylene glycol		7.6
		Sorbitol		5.9
		Dilactone *		4
	B.	Perfume		q.s.
20	c.	Water	to	100

* 2,5-Di-0-acetyl-D-glucaro-1,4:6,3-dilactone

25

This microgel was prepared by heating part A to 90°C and part C to 95° and then adding part C to part A with stirring. Part B was then added at 70°C and the final mixture cooled and poured into jars at 55°C to 60°C. On further cooling, a gel was formed.

30

Examples 29 to 31

These examples illustrate shampoos which are suitable for topical application to hair in order to cleanse it, at the same time delivering chemical inhibitors to the scalp to enhance hair growth or regrowth.

The shampoo had the following formulation:

40

35

45

50

		••		
10		29	<u>30</u>	31
	Triethanolamine lauryl			
	sulphate	16.8	18.0	16.8
15	Coconut diethanolamide	3.0	_	1.0
	Hydroxypropylmethyl-			
	cellulose (1)	0.25	0.1	0.3
20	Corn syrup (80% solids) (2)	20.5	40.0	21.0
	Dimethylpolysiloxane (3)	1.0	1.0	-
	Volatile silicone (4)	-	-	1.0
	Cationic cellulose (5)	0.5	-	0.5
25	Ethyl alcohol (SDA 40)	9.0	10.0	10.0
	Vinyl carboxy polymer (7)	0.75	0.3	0.75
	D-Galactosamine	1	-	_
30	Glucuronic acid propyl ester	_	2	_
	Iduronic acid methyl ester	-		5
	Perfume, colour, preservative	q.s.	q.s.	q.s.
35	Water t	o 100 to	-	100
33				
	Acid or base to pH:	6.5	6.5	6.5
	1 - Methocel E4M (Dow Chemica	1)		
40	2 - 42 Dextrose equivalent (S	taley 1300)	•	
	3 - 60,000 centistokes (Visca	-		
	4 - Dow Corning 344			
45	5 - Polymer JR 400			
	6 - Jaguar C-17			
	7 - Carbopol 941 (BF Goodrich)		•
	• • • • • • • • • • • • • • • • • • • •	•		• •

--

Examples 32 to 35

5

The following formulations represent lotions which can be used topically in the treatment of bald or balding male or female heads.

			8 w/w		
10	-	<u>32</u>	33	34	35
	Hydroxyethyl cellulose	0.4	-	0.4	- .
15	Absolute ethanol	25	25	25	25
	Propane-1,2-diol	-,	-	38.4	38.4
	Butane-1,3-diol	38.4	38.8	~	-
	Paramethyl benzoate	0.2	0.2	0.2	0.2
20	N-Acetylmannosamine	5	_	_	
	Phosphorylated				
	hesperidin		1		-

 Substituted thiosemi 4

 carbazone indoles 4

 Perfume
 1
 1
 1
 1

 Water
 to 100
 100
 100
 100

2

Example 36

25

30

40

Sodium aurothiomalate

This Example also illustrates a lotion which is suitable for topical application to the scalp. The lotion has the following formulation:

		<u>8 W/W</u>
45	Glucuronic acid	1.5
	Diisopropyl sebacate	10
	ethanol	88.5
50 ·	perfume	Ø.S.

Example 37

This Example also illustrates a hair tonic which is suitable for application to hair or scalp. The hair tonic has the following formulation:

5

		<u>% w/w</u>
10	Glucurono-6,3-lactone	0.2
	Pyroglutamic acid ethyl ester	10
	ethanol	40
	water	49.80
15	perfume	q.s.

Claims

20

- 1. A composition suitable for topical application to mammalian skin or hair for inducing, maintaining or increasing hair growth which comprises:
- (i) a first chemical inhibitor chosen from proteoglycanase inhibitors, glycosaminoglycanase inhibitors, glycosaminoglycan chain cellular uptake inhibitors or mixtures thereof; and
 - (ii) a cosmetically acceptable vehicle for the chemical inhibitor;

provided that when the first chemical inhibitor is a weak inhibitor, such that a 1mM aqueous solution of the inhibitor reduces proteoglycanase activity, glycosaminoglycanase activity or cellular uptake of glycosaminoglycan chains, by from 5 to 50%, in accordance with at least one of the assay tests as herein described, then there is also present in the composition a second chemical inhibitor and/or an activity enhancer;

30

45

50

55

provided also that when minoxidil is the sole chemical inhibitor then the activity enhancer is a penetration enhancer chosen from:

Dioctyl adipate
Dicapryl adipate
Disopropyl adipate
Disopropyl sebacate
Dibutyl sebacate
Diethyl sebacate
Dimethyl sebacate
Dioctyl sebacate
Dibutyl suberate
Dioctyl azelate
Debenzyl sebacate

Dibutyl phthalate

Dibutyl azelate Ethyl myristate Dimethyl azelate

Butyl myristate

Dibutyl succinate Didecyl phthalate

Decyl oleate
Ethyl caproate
Ethyl salicylate

Isopropyl palmitate

Ethyl laurate
2-ethyl-hexyl pelargonate
Isopropyl isostearate

Butyl laurate

Benzyl benzoate

Butyl benzoate

Hexyl laurate

Ethyl caprate

Ethyl caprylate

Butyl stearate

Benzyl salicylate

2-hydroxypropanoic acid

2-hyroxyoctanoic acid,

10 esters of pyroglutamic acid having the structure:

$$0 = N \qquad C = 0 = R \qquad (1)$$

where R is C₁ to C₂o alkyl, or - CHC00R*

and where R' and R" are the same or different and are each represented by H or the grouping: $[(CH_3)_u, (CH_2OH)_v, (CH_3CH_2)_x, (CH=CH)_z]$ (2)

where

5

15

25

30

35

40

u is zero or 1

v is zero, or the integer 1 or 2,

w is zero, or an integer of from 1 to 21

x is zero, or an integer of from 1 to 4,

y is zero, or the integer 1 or 2,

z is zero, or an integer of from 1 to 22, and

u + v + w + x + y + z is an integer of from 1 to 22;

provided that when the subgrouping (CH = CH) is present, then the total number of carbon atoms in said grouping is from 10 to 22; and/or

a cationic polymer chosen from:

Guar Hydroxypropyltrimonium chloride

Quaternium-19

Quaternium-23

Quaternium-40

Quaternium-57

Poly(dipropyldiallylammonium chloride)

Poly(methyl-β-propaniodiallylammonium chloride)

Poly(diallylpiperidinium chloride)

Poly(vinyl pyridinium chloride)

Quaternised poly (vinyl alcohol) and

Quaternised poly (dimethylaminoethylmethacrylate):

the total amount of chemical inhibitor present in the composition being sufficient to increase hair growth in the rat, when said composition is applied topically thereto, by at least 10% more than that obtainable using a control composition from which the said inhibitors have been omitted.

- 2. A composition according to claim 1, in which the chemical inhibitor is a proteoglycanase inhibitor.
- 3. A composition according to claim 2, in which the proteoglycanase inhibitor is a direct proteoglycanase inhibitor chosen from:

1,10-Phenanthroline

AcetylPhe-LeuSH

AcetylSer-LeuSH

AcetylTrp-LeuSH

55 AcetylPhe-Phe-LeuSH

HSCH2CH(i-Butyl)COPheNH2

HSCH₂CH(i-Butyi)COLeu-PheNH₂

AcetylTrp-lleSH

AcetylPhe-IleSH HOOCCH(i-Butyl)Leu-Leu-LeuOCH3 HOOCCH(i-Butyl)Leu-Leu-AlaNH2 HOOCCH(i-Buty!)Leu-Leu-PheNH2 HOOCCH(i-Butyl)Leu-Leu-Leu-AlaNH2 HONHCOCH2CH(n-Pentyl)COLeu-PheNH2 HONHCOCH2CH(n-Pentyl)COLeu-AlaNH2 HONHCOCH2CH(i-Butyl)COLeu-PheNH2 HONHCOCH2CH(n-Pentyl)COVal-AlaNH2

and mixtures thereof

- 4. A composition according to claim 2, in which the proteoglycanase inhibitor is an indirect proteoglycanase inhibitor chosen from cationic oligomers.
 - 5. A composition according to claim 4, in which the cationic oligomer is chosen from;

Arg-Arg-Arg,


Cys-Arg-Arg-Arg-Lys-Arg-Arg,

Pro-Arg-Arg-Arg-Arg,

Arg-Pro-Val-Arg-Arg-Arg-Arg-Pro-Val,

and mixtures thereof.

- 6. A composition according to claim 1, in which the glycosaminoglycanase inhibitor is an exoglycosdase 20 inhibitor.
 - 7. A composition according to claim 6, in which the exoglycosidase inhibitor is chosen from aldonolactones and esterified aldonolactones having the structure:



25

5

10

15

30

35

40

50

55

where A1 and A6 are -H,

B is OR" or a lactone linkage to position 1 or 6, or -NHCOCH₃

and where R is -H or C2 to C8 alky!,

R' is the remainder of the molecule joined through another C atom at positions 2 to 5 to form a lactone, R' is -is or C2 (ie acetyl) to C4 acyl of either configuration with respect to the backbone of this molecule.

8. A composition according to claim 7, in which the aldonolactone is chosen from:

L-Galactonic acid-y-lactone

L-Arabino-1,5-lactone

D-Fucono-1.5-lactone

D-Glucaro-1,4-lactone

D-Glucurono-6.3-lactone

Galactaric acid lactone

2-Acetamido-2-deoxygluconolactone

2-Acetamido-2-deoxygalactonolactone

D-Glucaro-1,4:6,3-dilactone L-Idaro-1,4-lactone, and mixtures thereof.

- 9. A composition according to claim 7, in which the esterified aldonolactone is chosen from:
- 2,3,5,-Tri-0-acetyi-D-glucaro-1,4-lactone
- 2,5-Di-0-acetyl-D-glucaro-1,4:6,3-dilactone, and mixtures thereof.
- 10. A composition according to claim 6, in which the exoglycosidase inhibitor is chosen from monosaccharides and esterified monosaccharides having the structure:

10

15

5

 c^{1} HO c^{2} c^{2}

25

30

35

20

where A is -OR or -NHCOCH3

R is -H, -SO₃M, C₂ (ie acetyl) to C₄ acyl

R' is -H or -OR

M is -H or a metal cation

11. A composition according to claim 10, in which the monosaccharide is chosen from:

N-Acetylglucosamine

N-Acetylgalactosamine

D-Galactosamine, and

mixtures thereof

12. A composition according to claim 6, in which the exoglycosidase inhibitor is chosen from piperidines having the structure:

40

45

50

where

A is -H, -OR' or - C -OR'

R is -H, C₂ to C₈ alkyl or diamino-pyrimidine N-oxide

R' is -H or C2 (ie acetyl) to C4 acyl,

the substituent groups A being the same or different

13. A composition according to claim 12, in which the piperidine is 2(S)-Carboxy-3(R),4(R),5(S)-trihydroxypiperidine.

- 14. A composition according to claim 12, in which the piperidine is minoxidil.
- 15. A composition according to claim 14, which further comprises in addition to minoxidil, one more chemical inhibitor chosen from:

Zinc gluconate

5 magnesium sulphate

D-glucaro-1,4-lactone

1,10-phenanthroline

D-glucosamine-3-sulphate

L-idaro-1,4-lactone

10 L-galactono-1,4-lactone

2-acetamido-2-deoxygluconolactone

D-glucaro-1,4:6,3-dilactone

2,3,5-tri-0-acetyl-D-glucaro-1,4-lactone

N-acetylglucosamine

N-acetylmannosamine

phosphorylated hesperidin

glucuronic acid, and

mixtures thereof

- 16. A composition according to claim 12, in which the piperidine is minoxidil, the composition also comprising an activity enhancer.
 - 17. A composition according to claim 1, in which the glycosaminoglycanase inhibitor is an endoglycosidase inhibitor.
 - 18. A composition according to claim 17, in which the endoglycosidase inhibitor is chosen from:

phosphorylated hesperidin

sodium aurothiomalate

substitued thiosemicarbazone indoles, and

mixtures thereof

 A composition according to claim 1, in which the sulphatase inhibitor is chosen from the anions sulphate

30 sulphite

25

35

40

45

pyrophosphate

fluoride

borate

chloride

gluconate, and

mixtures thereof,

each anion being in the form of a water-soluble metal or ammonium salt.

- 20. A composition according to claim 19, in which the salt is chosen from magnesium sulphate or zinc gluconate.
 - 21. A composition according to claim 1, in which the sulphatase inhibitor is
 - D-Glucosamine-3-sulphate
 - 22. A composition according to claim 1, in which the sulphatamase inhibitor is chosen from the anions:

sulphate

sulphite

pyrophosphate

fluoride

borate, and

mixtures thereof,

each anion being in the form of a water-soluble metal or ammonium salt.

- 23. A composition according to claim 20, in which the salt is magnesium sulphate.
 - 24. A composition according to claim 1, in which the glycosaminoglycan chain cellular uptake inhibitor is chosen from an hexuronic acid or esters thereof having the structure:

C-HC

H — C²— OR

H — C³— CR

H — C⁴— OR

H — C⁵— OR

, where

5

10

15

20

25

30

40

45

55

R is -H, -SO₃M, C₂ (ie acetyl) to C₄ acyl;

R' is -H or C2 to C8 alkyl.

25. A composition according to claim 24, in which the hexuronic acid is chosen from glucuronic acid, iduronic acid and mixtures thereof.

26. A composition according to any preceding claim, in which the total amount of chemical inhibitor is sufficient to increase hair growth in the rat, when said composition is applied topically thereto, by at least 20% more than that obtainable using a control composition from which said inhibitors have been omitted.

27. A composition according to any preceding claim, in which the total amount of chemical inhibitor is sufficient to increase hair growth in the rat, when said composition is applied topically thereto, by at least 30% more than that obtainable using a control composition from which said inhibitors have been omitted.

28. A composition according to any preceding claim, in which the total amount of chemical inhibitor is sufficient to increase hair growth in the rat, when said composition is applied topically thereto, by at least 50% more than that obtainable using a control composition from which said inhibitors have been omitted.

29. A composition according to any preceding claim, in which the amount of the chemical inhibitor forms from 0.0001 to 99% by weight.

30. A composition according to any preceding claim, in which the amount of the chemical inhibitor forms from 0.1 to 20% by weight.

31. A composition according to any preceding claim which additionally comprises from 0.01 to 10% by weight of a perfume.

32. A composition according to any preceding claim, which additionally comprises an activity enhancer.

33. A composition according to claim 32, in which the activity enhancer is chosen from the hair growth stimulants:

Benzalkonium chloride

Benzethonium chloride

Phenol

Estradiol

Diphenhydramine hydrocholoride

Chlorpheniramine maleate

Chlorophyllin derivatives

50 Cholesterol

Salicylic acid

Cystine

Red pepper tincture

Benzyl nicotinate

di-Menthol


Peppermint oil

Calcium pantothenate

Panthenol

Castor oil Hinokitiol Prednisolone Resorcinol, and mixtures thereof

34. A composition according to claim 32, in which the activity enhancer is a hair growth stimulant chosen from α -1,4 esterified dissaccharides having the structure:



where

5

10

15

20

25

30

35

40

45

50


Z represents a functional nitrogen group, such as an azide or a group having the structure -NHB, in which B represents -H or a functional group such as acetyl or sulphate as a salt with an organic or mineral cation;

M represents -H or SO₃M₁ where M₁ is an organic or metallic cation, particularly an alkali metal; or an acetyl group;

R represents a C1 to C4 alkyl radical, especially methyl; or an aryl radical;

A represents a functional group such as an acid or -COOR₁, where R₁ represents -H or a C₁ to C₄ alkyl radical, especially methyl; or a metal, especially an alkali metal.

35. A composition according to claim 32, in which the activity enhancer is a hair growth stimulant chosen from esterified oligosaccharides, including at least one esterified disaccharide unit consisting of a uronic acid residue having the structure:



and a hexosamine residue having the structure:

where

R' is -H, C3 to C10 alkyl or

```
R" is -H, C1 to C4 alkyl, -CO(CH2)mCH3, -SO3M,
    R" is -H, -CO(CH<sub>2</sub>)<sub>m</sub>CH<sub>3</sub>, or -SO<sub>3</sub>M,
    M is -H, or a metallic or organic cation
    n is 0 or an integer of from 1 to 7, and
    m is 0 or the integer 1 or 2;
    the groups designated R" being the same or different, one R" group from each pyranose ring structure
    being linked by a glycosidic linkage having the configuration \alpha-1,3, \alpha-1,4, \beta-1,3 or \beta-1,4; and the -COOR',
    -CH<sub>2</sub>OR*
    and -OR' groups being of either configuration with respect to the pyranose rings.
        36. A composition according to claim 32, in which the activity enhancer is a hair growth stimulant
15
    chosen from:
           minoxidil glucuronides,
           minoxidil sulphates, and
           mixtures thereof.
        37. A composition according to claim 32, in which the activity enhancer is a penetration enhancer.
20
        38. A composition according to claim 37, in which the penetration enhancer is chosen from:
           Dioctyl adipate
           Dicapryl adipate
           Diisopropyl adipate
           Diisopropyi sebacate
25
           Dibutyl sebacate
           Diethyl sebacate
           Dimethyl sebacate
           Dioctyl sebacate
           Dibutyl suberate
30
           Dioctyl azelate
           Debenzyl sebacate
           Dibutyl phthalate
           Dibutyl azelate
           Ethyl myristate
35
           Dimethyl azelate
           Butyl myristate
            Dibutyl succinate
            Didecyl phthalate
            Decyl oleate
40
            Ethyl caproate
            Ethyl salicylate
            Isopropyl palmitate
            Ethyi laurate
            2-ethyl-hexyl pelargonate
45
            Isopropyl isostearate
            Butyl laurate
            Benzyl benzoate
            Butví benzoate
            Hexyl laurate
50
            Ethyl caprate
            Ethyl caprylate
            Butyl stearate
```

Benzyl salicylate

mixtures thereof.

2-hydroxypropanoic acid 2-hydroxyoctanoic acid, and

39. A composition according to claim 37, in which the penetration enhancer is chosen from esters of pyroglutamic acid having the structure:

0 N C-0-R (1)

10

20

35

40

45

50

55

5

where R is C₁ to C₃₀ alkyl, or - CHC00R* and where R' and R* are the same or different and are each represented by H or the grouping: [(CH₃)_u, (CH₂OH)_v, (CH₃CH₂)_x, (CH = CH)_z]- (2)
where

u is zero or 1

v is zero, or the integer 1 or 2,

w is zero, or an integer of from 1 to 21

x is zero, or an integer of from 1 to 4,

y is zero, or the integer 1 or 2,

z is zero, or an integer of from 1 to 22, and

u + v + w + x + y + z is an integer of from 1 to 22;

provided that when the subgrouping (CH = CH) is present, then the total number of carbon atoms in said grouping is from 10 to 22.

40. A composition according to claim 39, in which the ester of pyroglutamic acid is chosen from:

pyroglutamic acid methyl ester

pyroglutamic acid ethyl ester

pyroglutamic acid n-propyl ester

30 pyroglutamic acid n-butyl ester

pyroglutamic acid n-heptyl ester

pyroglutamic acid n-octyl ester

pyroglutamic acid n-nonyl ester

pyroglutamic acid n-decyl ester

pyroglutamic acid n-undecyl ester

pyroglutamic acid n-dodecyl ester

pyroglutamic acid n-tridecyl ester

pyroglutamic acid n-tetradcyl ester

pyroglutamic acid n-hexadecyl ester

pyroglutamic acid n-octadecyl ester

pyroglutamic acid n-eicosyl ester

pyroglutamic acid iso-propyl ester

pyroglutamic acid 2-methylhexyl ester

pyroglutamic acid 2-ethylhexyl ester

pyroglutamic acid 3,7-dimethyloctyl ester

pyroglutamic acid 2-hexyldecyl ester

pyroglutamic acid 2-octyldodecyl ester

pyroglutamic acid 2,4,4-trimetyl-1-pentane ester

pyroglutamic acid methyloctyl ester, and

mixtures thereof.

41. A composition according to claim 39; in which the ester of pyroglutamic acid is chosen from:

2-[pyroglutamoyloxy]-propionic ácid

methyl-2-[pyroglutamoyloxy-acetate

ethyl-2-[pyroglutamoyloxy]-n-propionate

ethyi-2-[pyroglutamoyloxy]-n-butyrate

ethyl-2-[pyroglutamoyloxy]-iso-butyrate

ethyl-2-[pyroglutamoyloxy]-n-valerate

ethyl-2-[pyroglutamoyloxy]-n-caproate

```
ethyl-2-[pyroglutamoyloxy]-n-heptylate
           ethyl-2-[pyroglutamoyloxy]-n-caprylate
           ethyi-2-[pyroglutamoyloxy]-n-pelargonate
           ethyl-2-[pyroglutamoyloxy]-3-hydroxybutyrate
5
           iso-propyl-2-[pyroglutamoyloxy]-n-propionate
           iso-propyl-2-[pyroglutamoyloxy]-n-caprylate
           n-propyl-2-[pyroglutamoyloxy]-n-propionate
           n-propyl-2-[pyroglutamoyloxy]-n-caprylate
           stearyl-2-[pyroglutamoyloxy]-n-propionate
10
           12-hydroxystearyi-2-[pyroglutamoyloxy]-n-propionate
           stearyl-2-[pyroglutamoyloxy]-n-stearate
           palmityl-2-[pyroglutamoyloxy]-n-propionate
           linoleyl-2-[pyroglutamoyloxy]-n-propionate
           linoleyl-2-[pyroglutamoyloxy]-n-caprylate
           lauryl-2-[pyroglutamoyloxy]-n-caprylate
15
           stearyl-2-[pyroglutamoyloxy]-n-caprylate
           glyceryl mono(2-[pyroglutamoyloxy]-n-propionate)
           glyceryl mono(2-[pyroglutamoyloxy]-n-caprylate)
           glyceryl di(2-[pyroglutamoyloxy]-n-propionate),
20
           and mixtures thereof
        42. A composition according to claim 37, in which the penetration enhancer is chosen from:
           Dimethyl sulphoxide
           N,N-Dimethyl acetamide
           N,N-Dimethyl formamide
           2-Pyrrolidonel-Methyl-2-pyrrolidone
25
           5-Methyl-2-pyrrolidone
           1,5-Dimethyl-2-pyrrolidone
            1-Ethyl-2-pyrrolidone
            Phosphine oxides
            Sugar esters
30
            Tetrahydrofurfural alcohol
            Urea
            Diethyl-m-toluamide
            1-Dodecylazacyloheptan-2-one, and
            mixtures thereof.
35
        43. A composition according to claim 37, in which the penetration enhancer comprises an anionic
    surface active agent.
        44. A composition according to claim 43, in which the anionic surface active agent is chosen from:
            metallic or alkanolamine salts of fatty acids
            alkyl benzene sulpharates
40
            alkyl sulphates
            alkyl ether sulphates
            sulphosuccinates
            monoglyceride sulphates
45
            isethionates
            methyl taurides
            acyl sarcosinates
           acyl peptides
            acyl lactylates
            polyalkoxylated ether glycollates
50
            phosphates, and
            mixtures thereof.
         45. A composition according to claim 37, in which the penetration enhancer comprises a catonic surface
     active agent chosen from:
55
            amine salts
            quaternary ammonium salts, and
            mixtures thereof.
```

46. A composition according to claim 37, in which the penetration enhancer comprises an amphoteric surface active agent chosen from: imidazol compounds N-alkylamino acids betaines, and mixtures thereof 47. A composition according to claim 37, in which the penetration enhancer is chosen from nonionic surface active agents. 48. A composition according to claim 47, in which the nonionic surface active agent is chosen from: fatty acid alkanolamides esters of polyalcohols polyglycerol esters polyalkoxylated compounds ethers ester ethers amine oxides, and mixtures thereof.

49. A composition according to any preceding claim which is in the form of a lotion, cream, shampoo or hair conditioner.

50. The use of a chemical inhibitor chosen from proteoglycanase inhibitors, glycosaminoglycanase inhibitors, glycosaminoglycan chain cellular uptake inhibitors and mixtures thereof in the treatment of baldness.

51. A method for inducing, maintaining or increasing hair growth in the human subject which comprises applying an effective amount of a composition according to any of claims 1 to 49 to the scalp or hair.

25

5

10

15

20

30

35

40

45

50

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
GRAY SCALE DOCUMENTS	
LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
□ OTHER:	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.